

# König Polyester Filling Lacquer

641 000

## Intended Use

- For all polyester-coated furniture surfaces, especially for piano parts.
- For stone surfaces (marble, granite).
- For a permanent and high quality filling of dents, holes, cracks and compressed corners and edges.
- Recommended for indoor use.

## Characteristics

- A transparent yellowish polyester repair lacquer.
- Contains paraffins.
- Can be coloured with König touch-up products (see instructions for use).
- Good for sanding and polishing.
- Not suitable to serve as coating lacquer.

## Application Notes

Ensure processing temperature is above 20°C.

**Important:** Prior to processing, warm up the Polyester Filling Lacquer to 28-30°C e.g. in a water bath and shake up sufficiently (to loosen paraffins).

1-4% (weight %) corresponds to 1 Mixing Spatula width hardener to the cup size (low marking on the cup), with coloured polyester 1.5 spatula width hardener.

Add hardening paste to the polyester lacquer and stir until completely dissolved. Overdosing has absolutely to be avoided.

If polyester will be coloured, add hardener first before adding Colour Concentrate rapidly.

Apply the mixture rapidly to the damaged area and allow material to cure completely.

The mix of lacquer and hardener (pot life) will remain usable for 5-8 minutes at room temperature. Completely cured after approx. 60 minutes.

For detailed information on processing and tips, please refer to the instructions for use.

## Physical Properties and Shelf Life

**Mechanical stability:** very good

**Pot life:** approx. 8 minutes

**Curing time:** transparent: approx. 60 minutes  
coloured: approx. 12-24 hours

**Shelf life:** 1 year

(stored at room temperature, in unopened original container)

## Safety Precautions

Please refer to label and material safety data sheet.

## Disposal

- Polyester Filling Lacquer and its hardener in their present form are defined as special waste.
- Leftover material to be disposed of according to the European Waste Code 080111 – *waste paint and varnish containing organic solvents or other dangerous substances.*

## Packaging

On request.

*Further information and Material Safety Data Sheet on the internet at  
[www.heinrich-koenig.de](http://www.heinrich-koenig.de)*

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for his or her particular purpose(s).



Seit 1892

**Heinrich König & Co. KG**

An der Rosenhelle 5 • D-61138 Niederdorfelden

Phone: 0 61 01-53 60 0 • Fax: 0 61 01-53 60 11

E-mail: [info@heinrich-koenig.de](mailto:info@heinrich-koenig.de)

Issue 14/17