

**Rapid French Polish - 50104**



**SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

**SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product name : Rapid French Polish  
Product code : 50104.

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Wood varnish

**1.3. Details of the supplier of the safety data sheet**

Registered company name : INITIATIVES DECORATION.  
Address : ZI DES SOEURS 20 AVENUE ANDRE DULIN BP30027.17301.ROCHEFORT CEDEX.france.  
Telephone : + (33)-05-46-88-88-00. Fax : +-(33)-05-46-88-88-01.  
contact@groupe-id.com  
http://ww.id-paris.com

**1.4. Emergency telephone number : 01-45-42-59-59.**

Association/Organisation : ORPHILA.

**SECTION 2 : HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

**In compliance with EC regulation No. 1272/2008 and its amendments.**

Flammable liquid, Category 2 (Flam. Liq. 2, H225).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

**2.2. Label elements**

**In compliance with EC regulation No. 1272/2008 and its amendments.**

Hazard pictograms :



GHS07



GHS02

Signal Word :

DANGER

Hazard statements :

H225

Highly flammable liquid and vapour.

H319

Causes serious eye irritation.

Precautionary statements - General :

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

Precautionary statements - Prevention :

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P271

Use only outdoors or in a well-ventilated area.

Precautionary statements - Response :

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Rapid French Polish - 50104**

Precautionary statements - Storage :

P403 + P235

Store in a well-ventilated place. Keep cool.

**2.3. Other hazards**

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq 0.1\%$  published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

**SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2. Mixtures**

**Composition :**

Identification	(EC) 1272/2008	Note	%
INDEX: 603_002_00_5 CAS: 64-17-5 EC: 200-578-6 REACH: 01-2119457610-43-xxxx  ETHANOL	GHS07, GHS02 Dgr Flam. Liq. 2, H225 Eye Irrit. 2, H319	[1]	50 $\leq$ x % < 100
INDEX: A458 CAS: 8042-47-5 EC: 232-455-8 REACH: 01-2119487078-27  HUILE MINERALE BLANCHE	GHS08 Dgr Asp. Tox. 1, H304		2.5 $\leq$ x % < 10
INDEX: 603_117_00_0 CAS: 67-63-0 EC: 200-661-7 REACH: 01-2119457558-25  PROPAN-2-OL	GHS07, GHS02 Dgr Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	[1]	0 $\leq$ x % < 2.5
INDEX: 606_002_00_3 CAS: 78-93-3 EC: 201-159-0 REACH: 01-2119457290-43  BUTANONE	GHS07, GHS02 Dgr Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH:066	[1]	0 $\leq$ x % < 2.5

**Information on ingredients :**

[1] Substance for which maximum workplace exposure limits are available.

**SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

**4.1. Description of first aid measures**

**In the event of splashes or contact with eyes :**

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

**In the event of splashes or contact with skin :**

To be translated (XML)

**In the event of swallowing :**

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

**4.2. Most important symptoms and effects, both acute and delayed**

No data available.

**Rapid French Polish - 50104**

---

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available.

---

**SECTION 5 : FIREFIGHTING MEASURES**

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

**5.1. Extinguishing media**

Keep packages near the fire cool, to prevent pressurised containers from bursting.

**Suitable methods of extinction**

In the event of a fire, use :

- foam
- multipurpose ABC powder
- carbon dioxide (CO<sub>2</sub>)

Prevent the effluent of fire-fighting measures from entering drains or waterways.

**Unsuitable methods of extinction**

In the event of a fire, do not use :

- water jet

**5.2. Special hazards arising from the substance or mixture**

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

**5.3. Advice for firefighters**

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

---

**SECTION 6 : ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Consult the safety measures listed under headings 7 and 8.

**For non first aid worker**

Because of the organic solvents contained in the mixture, eliminate sources of ignition and ventilate the area.

Avoid any contact with the skin and eyes.

**For first aid worker**

First aid workers will be equipped with suitable personal protective equipment (See section 8).

**6.2. Environmental precautions**

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

**6.3. Methods and material for containment and cleaning up**

Clean preferably with a detergent, do not use solvents.

**6.4. Reference to other sections**

No data available.

---

**SECTION 7 : HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

**7.1. Precautions for safe handling**

Always wash hands after handling.

**Rapid French Polish - 50104**

**Fire prevention :**

Handle in well-ventilated areas.  
Keep packages tightly closed and away from sources of heat, sparks and naked flames.  
Do not use tools which may produce sparks. Do not smoke.

**Recommended equipment and procedures :**

For personal protection, see section 8.  
Observe precautions stated on label and also industrial safety regulations.  
Avoid eye contact with this mixture.  
Packages which have been opened must be reclosed carefully and stored in an upright position.

**Prohibited equipment and procedures :**

No smoking, eating or drinking in areas where the mixture is used.

**7.2. Conditions for safe storage, including any incompatibilities**

No data available.

**Storage**

Keep out of reach of children.  
Keep the container tightly closed in a dry, well-ventilated place.  
Keep away from all sources of ignition - do not smoke.

**Packaging**

Always keep in packaging made of an identical material to the original.

Suitable packaging materials :

N/A

To be translated (XML)

Unsuitable packaging materials :

To be translated (XML)

**7.3. Specific end use(s)**

No data available.

**SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

**Occupational exposure limits :**

- European Union (2017/164/UE, 2009/161/UE, 2006/15/CE, 2000/39/CE, 98/24/CE)

CAS	VME-mg/m3 :	VME-ppm :	VLE-mg/m3 :	VLE-ppm :	Notes :
78-93-3	600	200	900	300	-

- France (INRS - ED984 :2012) :

CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
64-17-5	1000	1900	5000	9500	-	84
67-63-0	-	-	400	980	-	84
78-93-3	200	600	300	900	*	84

- Switzerland (SUVA 2015) :

CAS	VME	VLE	Valeur plafond	Notations
64-17-5	500 ppm	1000 ppm		SSC
	960 mg/m3	1920 mg/m3		
67-63-0	200 ppm	400 ppm		B SSC
	500 mg/m3	1000 mg/m3		
78-93-3	200 ppm	200 ppm		R B SSC
	590 mg/m3	590 mg/m3		

- UK / WEL (Workplace exposure limits, EH40/2005, 2007) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
64-17-5	1000 ppm 1920 mg/m3				

**Rapid French Polish - 50104**

67-63-0	400 ppm 999 mg/m3	500 ppm 1250 mg/m3			
78-93-3	200 ppm 600 mg/m3	300 ppm 899 mg/m3		SkBMGV	

**Derived no effect level (DNEL) or derived minimum effect level (DMEL):**

BUTANONE (CAS: 78-93-3)

**Final use:**

Exposure method:  
 Potential health effects:  
 DNEL :

**Workers.**

Dermal contact.  
 Long term systemic effects.  
 1161 mg/kg body weight/day

Exposure method:  
 Potential health effects:  
 DNEL :

Inhalation.  
 Long term systemic effects.  
 600 mg of substance/m3

**Final use:**

Exposure method:  
 Potential health effects:  
 DNEL :

**Consumers.**

Ingestion.  
 Long term systemic effects.  
 31 mg/kg body weight/day

Exposure method:  
 Potential health effects:  
 DNEL :

Inhalation.  
 Short term systemic effects.  
 106 mg of substance/m3

PROPAN-2-OL (CAS: 67-63-0)

**Final use:**

Exposure method:  
 Potential health effects:  
 DNEL :

**Workers.**

Dermal contact.  
 Long term systemic effects.  
 888 mg/kg body weight/day

Exposure method:  
 Potential health effects:  
 DNEL :

Inhalation.  
 Long term systemic effects.  
 500 mg of substance/m3

**Final use:**

Exposure method:  
 Potential health effects:  
 DNEL :

**Consumers.**

Dermal contact.  
 Long term systemic effects.  
 319 mg/kg body weight/day

**Predicted no effect concentration (PNEC):**

BUTANONE (CAS: 78-93-3)

Environmental compartment:  
 PNEC :

Soil.  
 22.5 mg/kg

Environmental compartment:  
 PNEC :

Fresh water.  
 55.8 mg/l

Environmental compartment:  
 PNEC :

Sea water.  
 55.8 mg/l

Environmental compartment:  
 PNEC :

Fresh water sediment.  
 284 mg/kg

Environmental compartment:

Waste water treatment plant.

**Rapid French Polish - 50104**

PNEC :	709 mg/l
PROPAN-2-OL (CAS: 67-63-0)	
Environmental compartment:	Soil.
PNEC :	28 mg/kg
Environmental compartment:	Fresh water.
PNEC :	140.9 mg/l
Environmental compartment:	Sea water.
PNEC :	140.9 mg/l
Environmental compartment:	Intermittent waste water.
PNEC :	140.9 mg/l
Environmental compartment:	Waste water treatment plant.
PNEC :	2251 mg/l
ETHANOL (CAS: 64-17-5)	
Environmental compartment:	Soil.
PNEC :	0.63 mg/kg
Environmental compartment:	Fresh water.
PNEC :	0.96 mg/l
Environmental compartment:	Sea water.
PNEC :	0.79 mg/l
Environmental compartment:	Fresh water sediment.
PNEC :	3.6 mg/kg

## 8.2. Exposure controls

### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

#### - Hand protection

Gloves must be selected according to the application and duration of use at the workstation.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

N/A

#### - Body protection

After contact with the product, all parts of the body that have been soiled must be washed.

**Rapid French Polish - 50104**

---

**SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

**General information :**

Physical state : Fluid liquid.

**Important health, safety and environmental information**

pH : Not relevant.  
Boiling point/boiling range : > 35°C  
Flash Point Interval : FP < 23°C  
Vapour pressure (50°C) : Between 110 kPa and 175 kPa inclusive.  
Density : < 1  
Water solubility : Insoluble.  
Melting point/melting range : Not specified.  
Self-ignition temperature : Not specified.  
Decomposition point/decomposition range : Not specified.

**9.2. Other information**

No data available.

---

**SECTION 10 : STABILITY AND REACTIVITY**

**10.1. Reactivity**

No data available.

**10.2. Chemical stability**

This mixture is stable under the recommended handling and storage conditions in section 7.

**10.3. Possibility of hazardous reactions**

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

**10.4. Conditions to avoid**

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid :

- heat
- flames and hot surfaces

**10.5. Incompatible materials**

nitrocellulose decomposes on contact with alkalis, corrosive substances and potent oxidizing agents

**10.6. Hazardous decomposition products**

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

---

**SECTION 11 : TOXICOLOGICAL INFORMATION**

**11.1. Information on toxicological effects**

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.  
Splashes in the eyes may cause irritation and reversible damage

**11.1.1. Substances**

**Acute toxicity :**

BUTANONE (CAS: 78-93-3)  
Oral route :

LD50 > 2193 mg/kg  
Species : Rat  
OECD Guideline 423 (Acute Oral toxicity Acute Toxic Class Method)

**Rapid French Polish - 50104**

---

Dermal route : LD50 > 5000 mg/kg  
Species : Rabbit

Inhalation route (n/a) : LC50 = 34 mg/l  
Species : Rat

**PROPAN-2-OL (CAS: 67-63-0)**

Oral route : LD50 = 5840 mg/kg  
Species : Rat  
OECD Guideline 401 (Acute Oral Toxicity)

Dermal route : LD50 > 13900 mg/kg  
Species : Rabbit  
OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (n/a) : LC50 > 25 mg/l  
Species : Rat  
OECD Guideline 403 (Acute Inhalation Toxicity)

**HUILE MINERALE BLANCHE (CAS: 8042-47-5)**

Oral route : LD50 > 5000 mg/kg  
Species : Rat  
OECD Guideline 401 (Acute Oral Toxicity)

Dermal route : LD50 > 5000 mg/kg  
Species : Rabbit  
OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (n/a) : LC50 > 5000 mg/l  
Species : Rat  
OECD Guideline 403 (Acute Inhalation Toxicity)

**ETHANOL (CAS: 64-17-5)**

Oral route : LD50 <= 2000 mg/kg  
Species : Rat  
OECD Guideline 401 (Acute Oral Toxicity)

Dermal route : LD50 > 2000 mg/kg  
Species : Rabbit  
OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (n/a) : LC50 > 20 mg/l  
Species : Rat

**Serious damage to eyes/eye irritation :**

**HUILE MINERALE BLANCHE (CAS: 8042-47-5)**

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

**ETHANOL (CAS: 64-17-5)**

Causes serious eye irritation.



**Rapid French Polish - 50104**

---

Corneal haze : 1 <= Average score < 2 and effects totally reversible within 21 days of observation  
EPA OPPTS 870.2400 (Acute Eye Irritation)

Conjunctival redness : 2 <= Average score < 2.5 and effects totally reversible within 21 days of observation

**Respiratory or skin sensitisation :**

HUILE MINERALE BLANCHE (CAS: 8042-47-5)  
Local lymph node stimulation test : Non-Sensitiser.

ETHANOL (CAS: 64-17-5)  
Local lymph node stimulation test : Non-Sensitiser.

**Germ cell mutagenicity :**

PROPAN-2-OL (CAS: 67-63-0)  
No mutagenic effect.

HUILE MINERALE BLANCHE (CAS: 8042-47-5)  
No mutagenic effect.

**Carcinogenicity :**

PROPAN-2-OL (CAS: 67-63-0)  
Carcinogenicity Test : Negative.  
No carcinogenic effect.

HUILE MINERALE BLANCHE (CAS: 8042-47-5)  
Carcinogenicity Test : Negative.  
No carcinogenic effect.

**Reproductive toxicant :**

PROPAN-2-OL (CAS: 67-63-0)  
No toxic effect for reproduction

HUILE MINERALE BLANCHE (CAS: 8042-47-5)  
No toxic effect for reproduction

**11.1.2. Mixture**

No toxicological data available for the mixture.

**Monograph(s) from the IARC (International Agency for Research on Cancer) :**

CAS 67-63-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 64-17-5 : IARC Group 1 : The agent is carcinogenic to humans.

---

**SECTION 12 : ECOLOGICAL INFORMATION**

**12.1. Toxicity**

**12.1.1. Substances**

BUTANONE (CAS: 78-93-3)  
Fish toxicity : LC50 = 2990 mg/l  
Species : Pimephales promelas  
Duration of exposure : 96 h

Crustacean toxicity : EC50 = 308 mg/l  
Species : Daphnia magna

**Rapid French Polish - 50104**

---

	Duration of exposure : 48 h
Algae toxicity :	ECr50 = 1972 mg/l Species : Scenedesmus quadricauda Duration of exposure : 72 h
PROPAN-2-OL (CAS: 67-63-0)	
Fish toxicity :	LC50 = 9640 mg/l Species : Pimephales promelas Duration of exposure : 96 h
Crustacean toxicity :	EC50 = 9714 mg/l Species : Daphnia magna Duration of exposure : 48 h
Algae toxicity :	ECr50 > 100 mg/l Species : Scenedesmus subspicatus Duration of exposure : 72 h
HUILE MINERALE BLANCHE (CAS: 8042-47-5)	
Fish toxicity :	LC50 > 100 mg/l Duration of exposure : 96 h
Crustacean toxicity :	EC50 = 100 mg/l Species : Daphnia magna Duration of exposure : 48 h
	NOEC > 10 mg/l Species : Daphnia magna Duration of exposure : 21 days
Algae toxicity :	ECr50 = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h
	NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h
ETHANOL (CAS: 64-17-5)	
Fish toxicity :	LC50 > 100 mg/l Species : Leuciscus idus melanotus Duration of exposure : 48 h OECD Guideline 203 (Fish, Acute Toxicity Test)
Crustacean toxicity :	EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 24 h OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Algae toxicity :	ECr50 = 5000 mg/l Species : Chlorella pyrenoidosa OECD Guideline 201 (Alga, Growth Inhibition Test)

**Rapid French Polish - 50104**

---

**12.1.2. Mixtures**

No aquatic toxicity data available for the mixture.

**12.2. Persistence and degradability**

**12.2.1. Substances**

BUTANONE (CAS: 78-93-3)

Biodegradability : Rapidly degradable.

HUILE MINERALE BLANCHE (CAS: 8042-47-5)

Biodegradability : Rapidly degradable.

ETHANOL (CAS: 64-17-5)

Biodegradability : Rapidly degradable.

PROPAN-2-OL (CAS: 67-63-0)

Chemical oxygen demand : DCO = 2.22 mg/l

Five-day biochemical oxygen demand : DBO5 = 2.21 mg/l

Biodegradability : Rapidly degradable.  
DBO5/DCO = 1.00

**12.3. Bioaccumulative potential**

**12.3.1. Substances**

BUTANONE (CAS: 78-93-3)

Octanol/water partition coefficient : log K<sub>ow</sub> = 0.3

PROPAN-2-OL (CAS: 67-63-0)

Octanol/water partition coefficient : log K<sub>ow</sub> = 0.05

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

No data available.

**12.6. Other adverse effects**

No data available.

---

**SECTION 13 : DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

**13.1. Waste treatment methods**

Do not pour into drains or waterways.

**Waste :**

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

**Soiled packaging :**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

**Rapid French Polish - 50104**

**SECTION 14 : TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2015 - IMDG 2014 - ICAO/IATA 2015).

**14.1. UN number**

1263

**14.2. UN proper shipping name**

UN1263=PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)

**14.3. Transport hazard class(es)**

- Classification :



3

**14.4. Packing group**

II

**14.5. Environmental hazards**

-

**14.6. Special precautions for user**

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	3	F1	II	3	33	5 L	163 367 640C 650	E2	2	D/E

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ
	3	-	II	5 L	F-E,S-E	163 367	E2

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	3	-	II	353	5 L	364	60 L	A3 A72 A192	E2
	3	-	II	Y341	1 L	-	-	A3 A72 A192	E2

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No data available.

**SECTION 15 : REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**- Classification and labelling information included in section 2:**

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

**- Container information:**

Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

**- Particular provisions :**

No data available.

**15.2. Chemical safety assessment**

**Rapid French Polish - 50104**

---

No data available.

---

**SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

**Wording of the phrases mentioned in section 3 :**

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.

**Abbreviations :**

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

GHS02 : Flame

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.